

NO.62240

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 21 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 21 1996

The applicant **Lloyd & Helen Giovacchini**, hereby make application for permission to change the **portion of the point of diversion** of water heretofore appropriated under **Permit 19302, Cert. 6414**

1. The source of water is **underground**
2. The amount of water to be changed **0.076 c.f.s.**
3. The water to be used for **irrigation and domestic**
4. The water heretofore permitted for **irrigation and domestic**
5. The water is to be diverted at the following point **SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T.11N., R.24E., M.D.B.&M., or at a point from which the SW corner of said Sec. 27 bears S 48° 58' 25" W a distance of 671.11 feet.**
6. The existing permitted point of diversion is located within **SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T.11N., R.24E., M.D.B.&M., or at a point from which the SW corner of said Sec. 27 bears S 82° 23' 00" W a distance of 305.27 feet.**
7. Proposed place of use **Portion of the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, T.11N., R.24E., M.D.B.&M. 2 acres**
8. Existing place of use **no change**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **well, pump and distribution system**
12. Estimated cost of works **\$15,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks:

By **Rice Engineering, Inc.**
s/Katherine A. Rice
617-A South Main Street
Yerington NV 89447

Compared jr/bk

Protested _____

agent
WITHDRAWN BY APPLICANT **OCT 09 1997**
[Signature]
STATE ENGINEER

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: